



## IQS391 Device Datasheet

Haptics LRA driver with internal H-bridge and H-bridge protections.


Offers configuration and control options via I<sup>2</sup>C, or direct control via PWM and direction pin inputs.

### 1 Device Overview

The IQS391 is a haptics driver capable of driving Linear Resonant Actuator (LRA) motors. The device implements an I<sup>2</sup>C mode for single-byte waveform configuration. The I<sup>2</sup>C mode features a closed-loop autoresonance algorithm. The autoresonance algorithm matches the resonant frequency of the driven motor in real time. The PWM mode accepts an external Pulse Width Modulated (PWM) signal and a motor drive direction. Both modes implement automatic power mode management and an ultra-low power mode.

#### 1.1 Main Features

- > I<sup>2</sup>C Mode:
  - I<sup>2</sup>C interface - Up to Fast Mode Plus (1 MHz)
  - Selectable I<sup>2</sup>C address
  - Single-byte waveform configuration
  - Fire-and-forget interface
  - Trigger haptic pulse either through I<sup>2</sup>C or with an input pin
  - Real-time closed-loop autoresonance
  - Internal or external H-bridge
  - Selectable LRA drive frequency
- > PWM Mode:
  - Direction and direct PWM input
- > Select between modes using input pin
- > Internal H-bridge protections
- > Ultra-low power mode
- > Automatic power mode management
- > Design simplicity:
  - PC software for configuration and debugging
- > Supply Voltage: 1.71 V to 3.6 V
- > QFN20 Package (3 × 3 × 0.55 mm) - 0.4 mm pitch



QFN20 Package

#### 1.2 Applications

- > Mouse wheel scrolling feedback
- > Trackpads
- > Doorbells and keypads



### 1.3 Block Diagram




Figure 1.2: IQS391 Block Diagram



## Contents

<b>1</b>	<b>Device Overview</b>	<b>1</b>
1.1	Main Features . . . . .	1
1.2	Applications . . . . .	1
1.3	Block Diagram . . . . .	2
<b>2</b>	<b>Hardware Connections</b>	<b>5</b>
2.1	QFN20 Pinout . . . . .	5
2.1.1	I <sup>2</sup> C Mode . . . . .	5
2.1.2	PWM Mode . . . . .	6
2.2	Reference Schematics . . . . .	7
<b>3</b>	<b>Electrical Specifications</b>	<b>8</b>
3.1	Absolute Maximum Ratings . . . . .	8
3.2	General Operating Conditions . . . . .	8
3.3	Recommended Operating Conditions . . . . .	8
3.4	H-Bridge Specifications . . . . .	8
3.5	ESD Rating . . . . .	9
3.6	Reset Levels . . . . .	9
3.7	MCLR Pin Levels and Characteristics . . . . .	9
3.8	Digital I/O Characteristics . . . . .	10
3.9	I <sup>2</sup> C Characteristics . . . . .	10
3.10	Current Consumption . . . . .	11
<b>4</b>	<b>LRA Drive Theory</b>	<b>12</b>
<b>5</b>	<b>Operational Modes</b>	<b>13</b>
<b>6</b>	<b>Power Management</b>	<b>14</b>
6.1	Power States . . . . .	14
6.2	Power Mode . . . . .	14
<b>7</b>	<b>System Management</b>	<b>16</b>
7.1	System Status . . . . .	16
7.2	Reset . . . . .	16
7.2.1	Hard Reset . . . . .	16
7.2.2	Soft Reset . . . . .	16
7.3	ACK Reset . . . . .	16
7.4	Handling a Reset . . . . .	16
7.5	Typical Usage . . . . .	17
<b>8</b>	<b>H-Bridge</b>	<b>18</b>
8.1	Settings . . . . .	18
8.1.1	Slew Rate . . . . .	18
8.1.2	Drive Strength . . . . .	18
8.1.3	Ground Inactive . . . . .	18
8.2	Protections . . . . .	18
8.2.1	Over-current Protection . . . . .	18
8.2.2	Over-temperature Protection . . . . .	19
8.2.3	Shoot-Through Protection . . . . .	19
8.3	External H-Bridge Support . . . . .	19



<b>9</b>	<b>Haptic Control and Monitoring</b>	<b>21</b>
9.1	Trigger Haptics Command . . . . .	21
9.2	I <sup>2</sup> C Control . . . . .	21
9.3	Input Pin Control . . . . .	21
9.3.1	Edge Trigger Mode . . . . .	22
9.3.2	Level Trigger Mode . . . . .	23
9.4	LRA Drive Frequency . . . . .	23
9.5	PWM Frequency . . . . .	23
9.6	Strict Failure . . . . .	23
<b>10</b>	<b>Haptic Waveform Definition</b>	<b>25</b>
<b>11</b>	<b>Autoresonance</b>	<b>26</b>
11.1	Operation . . . . .	26
11.2	Backoff . . . . .	26
11.3	Recommend Recalibrate . . . . .	27
<b>12</b>	<b>I<sup>2</sup>C Interface</b>	<b>28</b>
12.1	Address Selection . . . . .	28
12.2	Reserved Address . . . . .	28
12.3	Read . . . . .	28
12.4	Write . . . . .	29
12.5	Clock Stretching . . . . .	29
<b>13</b>	<b>PWM Mode</b>	<b>30</b>
13.1	Input Signals . . . . .	30
13.2	Ultra Low Power . . . . .	30
13.3	Over-temperature Protection . . . . .	31
<b>14</b>	<b>I<sup>2</sup>C Memory Map</b>	<b>32</b>
<b>15</b>	<b>Ordering Information</b>	<b>33</b>
15.1	Ordering Code . . . . .	33
15.2	Top Marking . . . . .	33
<b>16</b>	<b>Package Information</b>	<b>34</b>
16.1	QFN20 Package Outline . . . . .	34
16.2	QFN20 Recommended Footprint . . . . .	36
16.3	Tape and Reel Specifications . . . . .	37
<b>A</b>	<b>Memory Map Descriptions</b>	<b>38</b>
A.1	System Status (0x1000) . . . . .	38
A.2	System Settings (0x2000) . . . . .	38
A.3	Over-temperature Settings (0x2001) . . . . .	39
A.4	System Control (0x2002) . . . . .	39
A.5	Haptic Control (0x2003) . . . . .	39
A.6	H-Bridge Setup (0x3000) . . . . .	40
A.7	Autoresonance (0x3006) . . . . .	40
A.8	Waveform Description (0x3007) . . . . .	41
<b>B</b>	<b>Usage Disclaimer</b>	<b>42</b>
<b>C</b>	<b>Revision History</b>	<b>43</b>

## 2 Hardware Connections

### 2.1 QFN20 Pinout

#### 2.1.1 I²C Mode




Figure 2.1: QFN20 Pinout for I²C mode

Table 2.1: QFN20 Pin Descriptions for I²C mode

Pin	Name	Type <sup>i</sup>	Function	Description
2	MCLR	I		Master Clear (Reset)
3	SDA	I/O	I2C	I²C data
4	SCL	I/O	I2C	I²C clock
5	ADDR_SEL	I	GPIO	I²C address selection
6	TRIG_HAPTICS	I	GPIO	Trigger haptics pin
7	VDD	P	Power	Power supply input voltage
8	M+	O	H-Bridge	
9	M-	O	H-Bridge	
10	VSS	P	Power	Analog/digital ground
11	MODE_SEL	I		Operating mode selection
*	NC	-	-	Not Connected

<sup>i</sup> Pin Types: I = Input, O = Output, I/O = Input or Output, P = Power

## 2.1.2 PWM Mode




Figure 2.2: QFN20 Pinout for PWM mode

Table 2.2: QFN20 Pin Descriptions for PWM mode

Pin	Name	Type <sup>i</sup>	Function	Description
2	MCLR	I		Master Clear (Reset)
4	DIR	I	GPIO	Motor drive direction
5	PWM_IN	I	GPIO	PWM input
6	AUTO_WAKE	I	GPIO	Automatic wake-up from low power
7	VDD	P	Power	Power supply input voltage
8	M+	O	H-Bridge	
9	M-	O	H-Bridge	
10	VSS	P	Power	Analog/digital ground
11	MODE_SEL	I		Operating mode selection
14	VREG	P	Power	Internally-regulated supply voltage
*	NC	-	-	Not Connected

<sup>i</sup> Pin Types: I = Input, O = Output, I/O = Input or Output, P = Power



## 2.2 Reference Schematics




Figure 2.3: I<sup>2</sup>C Mode Reference Schematic




Figure 2.4: PWM Mode Reference Schematic



### 3 Electrical Specifications

#### 3.1 Absolute Maximum Ratings

Table 3.1: Absolute Maximum Ratings

Symbol	Rating	Min	Max	Unit
$V_{DD}$	Voltage applied at VDD pin (referenced to VSS)	-0.3	3.6	V
$V_{IN}$	Voltage applied to any other pin (referenced to VSS)	-0.3	$V_{DD} + 0.3$ (3.6 V max)	V
$T_{stg}$	Storage temperature	-40	85	°C
$T_j$	Junction temperature		125	°C

#### 3.2 General Operating Conditions

Table 3.2: General Operating Conditions

Symbol	Parameter	Typ	Unit
$F_{CLK}$	Master clock frequency	14	MHz
$V_{REG}$	Internally-regulated supply output	1.53	V

#### 3.3 Recommended Operating Conditions

Table 3.3: Recommended Operating Conditions

Symbol	Parameter	Min	Recommended	Max	Unit
$V_{DD}$	Standard operating voltage, applied at VDD pin	1.71		3.6	V
$T_A$	Operating free-air temperature	-20		85	°C
$C_{VDD}$	Recommended capacitor at VDD	$C_{VREG}$	$2 \times C_{VREG}$		$\mu F$
$C_{VREG}$	Recommended external buffer capacitor at VREG (ESR $\leq 200 m\Omega$ )	2.2 <sup>i</sup>	4.7	10	$\mu F$

<sup>i</sup> Absolute minimum allowed capacitance value is 1  $\mu F$ , after taking derating, temperature, and worst-case tolerance into account. Please refer to [AZD004](#) for more information regarding capacitor derating.

#### 3.4 H-Bridge Specifications

Table 3.4: H-Bridge Specifications

Symbol	Parameter	Min	Nominal	Max	Unit
$R_L$	Load resistance at $V_{DD} = 3.3 V$		18		$\Omega$
$I_L$	Load current		150	200	mA
$F_{LRA}$	LRA drive frequency	100		300	Hz





### 3.5 ESD Rating

Table 3.5: ESD Rating

			Value	Unit
$V_{(ESD)}$	Electrostatic discharge voltage	Human-body model (HBM), per ANSI/ESDA/JEDEC JS-001 <sup>i</sup>	±2000	V

<sup>i</sup> JEDEC document JEP155 states that 500 V HBM allows safe manufacturing with a standard ESD control process. Pins listed as ±2000 V may actually have higher performance.

### 3.6 Reset Levels

Table 3.6: Reset Levels

Parameter		Min	Max	Unit
$V_{DD}$	Power-up (Reset trigger) – slope > 100 V/s	1.65		V
	Power-down (Reset trigger) – slope < -100 V/s		0.9	

### 3.7 MCLR Pin Levels and Characteristics

Table 3.7: MCLR Pin Characteristics

Parameter		Min	Typ	Max	Unit
$V_{IL}$	MCLR input low level voltage	$V_{SS} - 0.3$		$0.25 \times V_{DD}$	V
$V_{IH}$	MCLR input high level voltage	$0.75 \times V_{DD}$		$V_{DD} + 0.3$	V
$R_{PU}$	MCLR pull-up equivalent resistor		210		k $\Omega$
$t_{Trig}$	MCLR input pulse width – ensure trigger	250			ns




Figure 3.1: MCLR Pin Diagram



### 3.8 Digital I/O Characteristics

Table 3.8: Digital I/O Characteristics

Parameter		Test Conditions	Min	Max	Unit
$V_{OL}$	SDA & SCL output low voltage	$I_{sink} = 20\text{ mA}$		0.3	V
	GPIO output low voltage	$I_{sink} = 10\text{ mA}$		0.15	V
$V_{OH}$	Output high voltage	$I_{source} = 20\text{ mA}$	$V_{DD} - 0.2$		V
$V_{IL}$	Input low voltage		$V_{SS} - 0.3$	$0.3 \times V_{DD}$	V
$V_{IH}$	Input high voltage		$0.7 \times V_{DD}$	$V_{DD} + 0.3$	V
$I_{GPIO}$	Output current sunk by any GPIO pin			10	mA
	Output current sourced by any GPIO pin			20	
$C_b$	SDA & SCL bus capacitance			550	pF

### 3.9 I²C Characteristics

Table 3.9: I²C Characteristics

Parameter		Min	Max	Unit
$f_{SCL}$	SCL clock frequency		1000	kHz
$t_{HD,STA}$	Hold time (repeated) START condition	0.26		μs
$t_{LOW}$	LOW period of the SCL clock	0.5		μs
$t_{HIGH}$	HIGH period of the SCL clock	0.26		μs
$t_{SU,STA}$	Set-up time for a repeated START condition	0.26		μs
$t_{HD,DAT}$	Data hold time	0		ns
$t_{SU,DAT}$	Data set-up time	50		ns
$t_{SU,STO}$	Set-up time for STOP condition	0.26		μs
$t_{BUF}$	Bus free time between a STOP and START condition	0.5		μs
$t_{SP}$	Pulse duration of spikes suppressed by input filter	0	50	ns




Figure 3.2: I²C Timing Diagram



### 3.10 Current Consumption

ULP current consumption applies to both PWM mode and I<sup>2</sup>C mode. Fast haptics current consumption applies to only I<sup>2</sup>C mode.

In both modes, the current consumption while haptics is active is dominated by the choice of motor.

*Table 3.10: Typical Current Consumption*

Power State	Current Consumption [μA]	
	Idle	Haptics Active
Fast Haptics	360	Motor Dependent
ULP	1.01	

## 4 LRA Drive Theory

A Linear Resonant Actuator (LRA) is a spring-mass system. The mass is magnetic. A driving coil creates a magnetic field to exert force on the magnetic mass.

The coil must be driven with an Alternating Current (AC) voltage to create the magnetic field. When the frequency of this AC voltage matches the resonant frequency of the spring mass system, the maximum vibration force is exerted.

In the ideal case, the AC voltage is a pure sinusoid. The IQS391 approximates a pure sinusoid drive with a Pulse Width Modulated (PWM) drive signal. When the duty cycle of the PWM drive is varied sinusoidally, the average drive voltage follows a pure sinusoid.




Figure 4.1: PWM Drive Approximation

Figure 4.1 shows the PWM output drive in relation to the ideal sinusoid drive.  $T_h$  is the width of a single half cycle. For a 200 Hz motor, this would be  $\frac{1}{2 \times 200} = 2.5$  ms. The motor is driven in the forward direction for one half cycle and then in the reverse direction for one half cycle. This is repeated for the duration of the haptic pulse. The strength of vibration depends on the amplitude of the average sinusoidal drive. Since the amplitude of the average drive signal is directly related to the maximum duty cycle of the PWM drive, the vibration strength can be varied by changing the maximum duty cycle of the PWM drive signal.

It is difficult to vary the duty cycle of the PWM according to a pure sinusoid. For this reason, the IQS391 applies a further approximation to the PWM drive signal. Each half cycle of the sinusoidal modulation is approximated as three linearly interpolated segments. The first segment is linearly increasing, the second constant, and the third linearly decreasing. The IQS391 provides fine control over these segments. A detailed description of the configuration of these segments is given in Section 10.



## 5 Operational Modes

The IQS391 implements two distinct modes of operation. In I<sup>2</sup>C mode, the IQS391 generates the LRA drive signal based on a single-byte waveform definition. In PWM mode, the IQS391 accepts an external PWM signal and direction indication. These input signals are fed to the internal H-bridge, which drives the motor.

Both modes support LRA motors in the 100 – 300 Hz frequency range.

The mode is selected based on the state of the MODE\_SEL pin directly after a cold boot or reset. When the MODE\_SEL pin is grounded, the IQS391 will enter I<sup>2</sup>C mode. When the MODE\_SEL pin is floating, the IQS391 will enter PWM mode.

Unless explicitly otherwise stated, all remaining sections of this document describe I<sup>2</sup>C mode only. The I<sup>2</sup>C memory map applies to I<sup>2</sup>C mode only. PWM mode is described in Section 13.



## 6 Power Management

The IQS391 distinguishes between *power mode* and *power state*. The current power state depends on the selected power mode. A trigger haptics command will wake the device from any of its sleep states. When the *Haptics Active* bit in the [System Status](#) register is set, the IQS391 performs no sleep function.

### 6.1 Power States

Two states are possible:

- > Fast Haptics
- > Ultra Low Power (ULP)

In the ULP state, the lowest current consumption is achieved. The digital core and non-vital peripherals are powered off. M+ and M- are tri-stated. The IQS391 takes 300 – 400  $\mu$ s to wake from ULP. Thus, while in ULP, a haptic pulse will only start at least 300 – 400  $\mu$ s after a trigger haptics command is given.

In the Fast Haptics state, the digital core remains powered on. After a trigger haptics command, the haptics pulse begins significantly sooner than when the IQS391 is in the ULP power state.

The current power state is indicated in the [System Status](#) register.

### 6.2 Power Mode


There are three possible power modes:

- > Fast Haptics
- > Ultra Low Power (ULP)
- > Automatic


In Fast Haptics mode, the current power state is forced to 'Fast Haptics'. In ULP mode, the current power state is forced to 'ULP'.

Automatic mode allows the IQS391 to manage its power state automatically, based on certain conditions. If either a trigger haptics command is given or the IQS391 is addressed on the I<sup>2</sup>C bus, the current power state will be set to 'Fast Haptics'. The IQS391 returns the power state to 'ULP' when the time specified in steps of 512 ms by the *Power Mode Timeout* setting in the [System Settings](#) register has passed. For example, a register value of '2' sets the timeout to 1024 ms. The power mode timeout is reset during haptics, when the IQS391 is addressed on the I<sup>2</sup>C bus and when the TRIG\_HAPTICS pin is high. In all power modes, the IQS391 will not enter the ULP state if the TRIG\_HAPTICS pin is high. In effect, the power mode is set to 'Fast Haptics'. These conditions are illustrated in Figure 6.1, where  $T_p$  shows the timeout.

The power mode and power mode timeout are set in the *System Settings* register.



(a) Power Mode Timeout from Haptics



(b) Power Mode Timeout from TRIG\_HAPTICS Pin High

Figure 6.1: In Figure 6.1a, the haptics is active when the TRIG\_HAPTICS pin is low. The timeout is effective from the end of the haptics. In Figure 6.1b, the TRIG\_HAPTICS pin is high after the haptics is finished. The timeout is effective from when the TRIG\_HAPTICS pin goes low.



## 7 System Management

System management is the process of configuring, monitoring, and controlling the device. It is advised to follow the procedures in Sections 7.4 and 7.5.

### 7.1 System Status

The *System Status* register shows the current state of the device. It is recommended to monitor the system status by continuously reading the *System Status* register. The *System Status* register is read-only. Writing to the *System Status* register will have no effect.

### 7.2 Reset

The *Reset* bit in the *System Status* register will be set after a cold boot or if a device reset occurs. A device reset indicates either an error condition or that a deliberate power cycle has occurred. Under a reset condition, the master may still read and write to the device over I<sup>2</sup>C. However, a trigger haptics command will have no effect.

If the device resets, the settings in the memory map will revert to their default values. These default values are listed in the 'Default' column of the memory map in Section 14.

Section 7.3 describes the process of acknowledging and clearing the reset condition. Section 7.4 describes the recommended procedure for configuring the device from a reset condition.

#### 7.2.1 Hard Reset

The IQS391 can be forced to reset at any time by pulling the MCLR pin low. Detailed specifications for this functionality are found in Section 3.7.

Please note the weak internal pull-up resistor connected to the MCLR pin. There is no need for an external pull-up.

#### 7.2.2 Soft Reset

When the *Haptics Active* bit in the *System Status* register is not set, the IQS391 can be forced to reset by asserting the *Soft Reset* bit in the *System Control* register.

### 7.3 ACK Reset

The *Reset* bit in the *System Status* register is cleared when the *ACK Reset* bit in the *System Control* register is set by the master. After *ACK Reset* is set, both the *ACK Reset* and *Reset* bits will be cleared by the IQS391.

If the *ACK Reset* bit is asserted when the *Reset* bit is not set, the *ACK Reset* bit will be immediately cleared and no other action will be taken.

### 7.4 Handling a Reset

After a reset, the master controller should first clear the *Reset* bit in the *System Status* register by following Section 7.3 and then rewrite the desired settings to the memory map over I<sup>2</sup>C. Although it is possible to modify settings when the *Reset* bit is set, this is not a recommended order of control.





## 7.5 Typical Usage

Figure 7.1 shows a typical control sequence implementation. Note that the IQS391 has no events. The status of the device is obtained by polling it over I<sup>2</sup>C.

It is not required to continuously check for a reset. It is sufficient to perform the check before sending a trigger haptics command. A reset condition is not expected to occur. Therefore, in time-sensitive applications, the check for a reset can be done less frequently.




Figure 7.1: Typical Usage



## 8 H-Bridge

### 8.1 Settings

#### 8.1.1 Slew Rate

The internal H-bridge has a slew rate-limiting function. This limits the slew rate of the PWM drive. Limiting the slew rate can help to reduce electromagnetic interference caused by the fast switching H-bridge drive signals.

The *Slew Rate Control* bit in the [H-Bridge Setup](#) register enables the slew rate function. When enabled, the *Slew Rate* setting selects the slew rate limit.

#### 8.1.2 Drive Strength

The internal H-bridge is comprised of several drive stages. The *Drive Strength* setting in the [H-Bridge Setup](#) register controls which of these stages are active. The higher the *Drive Strength*, the more stages are active. The values in Table 3.4 are specified for a drive strength of '5'.

A drive strength of at least '1' is required for the H-bridge to function. Generally, the *Drive Strength* should be set to '5'.

**Note:** Over-current protection is disabled when the drive strength is set to '1' or '3'.

#### 8.1.3 Ground Inactive

When the *Ground Inactive* bit in the [H-Bridge Setup](#) register is set, both M+ and M- will be pulled to ground when the motor is not being driven and the IQS391 is not in the ULP power state. In combination with inverted patterns, this can help to brake the motor and provide a crisper feel to the haptic pulse.

### 8.2 Protections

The internal H-bridge is equipped with several protection mechanisms. These are controlled by the H-bridge hardware. If enabled, they will automatically disable the H-bridge drive under the relevant error condition.

The H-bridge protections are closely related to Section 9.6.

#### 8.2.1 Over-current Protection

Over-current protection is enabled by setting the *Over-current Protection* bit in the [H-Bridge Setup](#) register. Over-current protection activates when the current drawn by the load connected to M+ and M- exceeds approximately 200 mA.

Once tripped, the *Over-current* bit in the [System Status](#) register is set. The *Over-current* protection bit is cleared only when the *System Status* register is read over I<sup>2</sup>C.

**Note:** The over-current protection can incorrectly trip when the pulse width of the PWM drive signal is small. This behaviour is dependent on the motor being driven. For this reason, over-current protection is disabled by default. The reliability of the over-current protection functionality should be assessed at design time.



### 8.2.2 Over-temperature Protection

Over-temperature protection is enabled by setting the *Over-temperature Protection* bit in the *H-Bridge Setup* register. Over-temperature protection activates when the temperature of the device exceeds the temperature specified by the *Over-temperature Threshold* in the *Over-temperature Settings* register.

The *Hysteresis* bit enables one-way hysteresis for over-temperature detection. This ensures that the over-temperature protection activates cleanly when an over-temperature condition occurs. It is recommended to always have hysteresis enabled when using the over-temperature protection functionality.

Once tripped, the *Over-temperature* bit in the *System Status* register is set. The *Over-temperature* protection bit is cleared only when the *System Status* register is read over I<sup>2</sup>C.

### 8.2.3 Shoot-Through Protection




Shoot-through protection is enabled by setting the *Shoot-through Protection* bit in the *H-Bridge Setup* register. Shoot-through protection prevents direct shorting of VDD to GND when the H-bridge transistors are switching. It is recommended to always have shoot-through protection enabled.

## 8.3 External H-Bridge Support

When the *External* bit in the *H-Bridge Setup* register is set, the IQS391 will output the drive signals for one half of an external H-bridge on the M+ and M- pins. The external H-bridge circuit must invert these signals to drive the opposite side of the H-bridge.

The reference circuit for the external H-bridge is shown in Figure 8.1. M+ and M- must be connected to the PWM1 and PWM2 nets. Note that the pulldown resistors are required to prevent shorting VMOT to GND during power on and when the IQS391 is in the ULP power state.

Autoresonance cannot be used when using an external H-bridge, as there is no way to measure the back-EMF of the motor. It is the responsibility of the master to ensure autoresonance is disabled when using an external H-bridge. There are no restrictions on any other waveform configuration settings.



▲ VMOT is motor supply voltage. LRA+ and LRA- are outputs to drive haptic motor.

▲ Optional protection prevents shoot-through if ever PWM1 and PWM2 are high simultaneously.

Figure 8.1: External H-Bridge Circuit



## 9 Haptic Control and Monitoring

While a waveform is executing, the *Haptics Active* bit in the [System Status](#) register will be set. Waveform settings must only be modified when the *Haptics Active* bit is clear. Modifying waveform settings while a waveform is running may result in undefined behaviour.

### 9.1 Trigger Haptics Command

The currently active waveform is played when a trigger haptics command is given. A trigger haptics command can be given through I<sup>2</sup>C or by using input pin control.

A trigger haptics command issued while the *Haptics Active* bit is set will be ignored.

### 9.2 I<sup>2</sup>C Control

In I<sup>2</sup>C mode, a trigger haptics command is given by setting the *Trigger Haptics* bit in the [Haptic Control](#) register. The *Trigger Haptics* bit is cleared at the start of every waveform, regardless of how the waveform was triggered.

The waveform can be stopped at any time by asserting the *Stop Haptics* bit in the *Haptic Control* register. The waveform will be halted immediately, and the *Stop Haptics* bit will be cleared. If the *Stop Haptics* bit is set when the haptics is not running, it will have no effect and will immediately be cleared.

### 9.3 Input Pin Control

The TRIG\_HAPTICS pin can be used to start and stop haptic pulses. When not controlling haptics, the pin must be pulled to ground. It is always required to hold the TRIG\_HAPTICS pin high for at least 100 µs when using input pin control to start a haptic pulse.

The control type is chosen by selecting either 'Edge Trigger' or 'Level Trigger' in the [System Settings](#) register. In both cases, the TRIG\_HAPTICS pin can be used at any time to control the haptics.

Some time is required for the IQS391 to initialise and begin a haptic pulse. This startup delay is shown in Figure 9.1. When the IQS391 is in the ULP power state, the maximum value of  $T_s$  is 400 µs. In the fast haptics power state, the maximum value of  $T_s$  is 100 µs.




Figure 9.1: Start delay for haptics when using input pin control. The maximum  $T_s$  depends on the current power state on the rising edge of the TRIG\_HAPTICS signal.

### 9.3.1 Edge Trigger Mode

Edge trigger mode is selected by clearing the *Trigger Mode* bit in the [System Settings](#) register. Edge trigger mode only affects the control of haptics with the TRIG\_HAPTICS pin.

In edge trigger mode, holding the TRIG\_HAPTICS pin high for 100  $\mu$ s when the haptics is not running will issue a trigger haptics command. A rising edge on the TRIG\_HAPTICS pin while the haptics is running will immediately stop the haptics. There are no time conditions on the stop haptics rising edge, regardless of the power mode.

Figure 9.2 demonstrates the use of the TRIG\_HAPTICS pin in edge trigger mode.




Figure 9.2: Using the TRIG\_HAPTICS pin in edge trigger mode. In Figure 9.2a, the second rising edge comes when the haptics is still running. The haptics is stopped. In Figure 9.2b, the waveform finishes before each new rising edge. The rising edges trigger a new waveform.

### 9.3.2 Level Trigger Mode

Level trigger mode is selected by setting the *Trigger Mode* bit in the [System Settings](#) register. Level trigger mode only affects the control of haptics with the TRIG\_HAPTICS pin.

In level trigger mode, holding the TRIG\_HAPTICS pin high for at least 100 µs when the haptics is not running will issue a trigger haptics command. The haptics is stopped on the next falling edge of the TRIG\_HAPTICS pin. A waveform can run to completion before the falling edge. If this occurs, the falling edge will have no effect.

Figure 9.3 demonstrates the use of the TRIG\_HAPTICS pin in level trigger mode.




Figure 9.3: Using the TRIG\_HAPTICS pin in level trigger mode. In Figure 9.3a, the falling edge comes when the haptics is running. The haptics is stopped. In Figure 9.3b, the waveform finishes before the falling edge. The falling edge has no effect.

## 9.4 LRA Drive Frequency

The [LRA Frequency](#) register is used to set the frequency in Hertz (Hz) at which the duty cycle of the PWM output drive changes. It is also used to report the frequency measured by the autoresonance algorithm.

The [LRA Frequency](#) register should not be modified by the master while the *Haptics Active* bit in the [System Status](#) register is set. It can be read at any time.

## 9.5 PWM Frequency

The [PWM Frequency](#) register sets the frequency in Hertz (Hz) of the output PWM drive. Internally, this has an effect on the time domain resolution with which the duty cycle of the drive updates.

It is recommended to always set the [PWM Frequency](#) register to '20000'.

## 9.6 Strict Failure

In strict failure mode, the *Over-current* and *Over-temperature* bits in the [System Status](#) register must be clear for a waveform to run. More details regarding the H-bridge protections are given in Section 8.2.

If strict failure mode is disabled, the IQS391 will attempt to play a waveform regardless of the state of the *Over-current* and *Over-temperature* bits. If either bit is set, but the error condition is no longer



present, the waveform will play as normal. If the error condition is still present, the waveform will be stopped immediately.

Strict failure mode is enabled by setting the *Strict Failure* bit in the *H-Bridge Setup* register.





## 10 Haptic Waveform Definition

The IQS391 waveform is defined as follows:

<b>Invert Start</b>	Enable to start the pattern on the M- pin instead of the M+ pin.
<b>Enable Braking</b>	Will enable braking by adding an out-of-phase pulse at the end of the waveform, as illustrated in Figure 10.1.
<b>Braking Delay</b>	Will add a blank half cycle before the braking cycle at the end of the waveform, as illustrated in Figure 10.2.
<b>Half Cycles</b>	The number of half cycles to drive the waveform.
<b>Amplitude</b>	The maximum PWM duty cycle for a half cycle.




Figure 10.1: Braking




Figure 10.2: Braking with delay



## 11 Autoresonance

### 11.1 Operation

The autoresonance algorithm matches the drive frequency to the resonant frequency of the driven LRA. The driver operates by monitoring the back-EMF of the motor at the end of every half cycle. By detecting the zero-cross of the back-EMF, the driver is able to track changes in the resonant frequency of the LRA. This provides consistent vibration strength in changing conditions and across production variations. It is recommended to set the initial frequency slightly higher than the expected resonant frequency.

### 11.2 Backoff

Once a frequency lock has been achieved, it is crucial that the zero-cross occurs. If the zero-cross does not occur, the driver has no information about the back-EMF and cannot make an intelligent decision about the next half cycle's drive frequency. A zero-cross may not occur when the drive frequency is far from the resonant frequency of the motor. If the drive frequency is much lower than the resonant frequency, it can take many cycles to acquire a lock. If the drive frequency is much higher than the resonant frequency, an accurate lock may never be achieved.

When a zero-cross does not occur, the driver assumes that the drive frequency is too low. The driver increases the drive frequency by a fixed percentage. This is an attempt to re-establish a frequency lock. In most cases, a zero-cross will be seen within the next few half cycles, and the frequency lock will be restored.

This effect can be mitigated by slightly increasing the drive frequency such that it is more than the exact resonant frequency as measured by the zero cross. Unless conditions change significantly, this guarantees that a zero-cross will occur on the next half cycle.

The drive frequency should be increased by as little as possible to ensure it matches the resonant frequency. The exact amount depends on the motor being driven. To this end, the [Autoresonance Backoff](#) setting is included in the memory map.

When a zero-cross is detected, the drive frequency will be set to the resonant frequency of the motor and then increased by a percentage equal to one hundred divided by the value in the *Autoresonance Backoff* register.

$$\text{Percentage increase} = \frac{100}{\text{Autoresonance Backoff}}$$

Setting *Autoresonance Backoff* to '0' will match the zero-cross frequency exactly.

In Figure 11.1, the current half-cycle drive is shown in red. Provided  $T_{h(n)}$  is close to but less than the resonant half-cycle period, the back-EMF of the motor will lag the drive voltage. The driver detects the zero cross of the back-EMF and uses this to determine  $T_z$ . The frequency of the next half cycle is then increased from  $T_z$  in accordance with the *Autoresonance Backoff* setting to determine  $T_{h(n+1)}$ . This is the period of the next half cycle. Note that Figure 11.1 shows the average voltage for the driven half cycles and the instantaneous voltage for the back-EMF.




Figure 11.1: Autoresonance Backoff

### 11.3 Recommend Recalibrate

If the frequency at the start of a waveform differs by more than 25% from the frequency at the end of the waveform, the *Recommend Recalibrate* bit in the *System Status* register will be set. Typically, this will occur for one of three situations:

1. This is the first haptic pulse, and the starting frequency was far from the resonant frequency.
2. External conditions have changed significantly.
3. An error has occurred with the autoresonance algorithm.

The *Recommend Recalibrate* bit is cleared when the master writes to the *LRA Frequency* register over I<sup>2</sup>C.

For item 1, the master can simply read the *LRA Frequency* register and write the same value back. This is most likely to occur during a calibration sequence, where the master initiates several autoresonance-enabled waveforms to find the motor frequency. The calibration sequence is successful when the *Recommend Recalibrate* bit is not set for several consecutive trigger haptic commands.

Items 2 and 3 are error conditions. If the *Recommend Recalibrate* bit is set outside of a calibration sequence, it indicates that either item 1 or item 2 has occurred. The calibration sequence should be done again.



## 12 I<sup>2</sup>C Interface

The IQS391 features a standard two-wire I<sup>2</sup>C interface supporting a maximum bit rate of 1 Mbit/s. The memory structures accessible over the I<sup>2</sup>C interface are byte-addressable with 16-bit addresses. Values wider than one byte are packed with little-endian byte order and are stored in word-aligned addresses. The IQS391 can be addressed at any time.

- > Standard two-wire interface
- > *Fast-Mode Plus* I<sup>2</sup>C with up to 1 Mbit/s bit rate
- > Selectable 7-bit device address
- > 16-bit little-endian register addressing
- > One data byte stored per register address

### 12.1 Address Selection

Each order code allows for selection between two different I<sup>2</sup>C addresses. The available addresses are listed in Section 15.1.

The ADDR\_SEL pin is used to select the address. Address 1 is selected when ADDR\_SEL is pulled to ground. Address 2 is selected when ADDR\_SEL is pulled to VDD.

An external pullup or pulldown resistor is not required on the ADDR\_SEL pin.

### 12.2 Reserved Address

The IQS391 will acknowledge an additional address derived from its selected slave address. This derived address is obtained by flipping the least significant bit of the slave address.

For every order code, the IQS391 will also acknowledge an additional debug I<sup>2</sup>C address. The debug address is for debugging purposes only and should not be used during normal operation. The debug address is the primary address with the least significant bit inverted. For example, the primary address for IQS391-001 is 0x54, and its debug address is 0x55.

### 12.3 Read

A typical read operation is shown in Figure 12.1.

The master initiates communication by sending a start condition followed by the device address with the read-not-write bit low. The IQS391 responds with an acknowledgement, after which the master must transmit two bytes defining the starting register address to read from.

The master then sends a repeated start condition, followed by the device address with the read-not-write bit high. The IQS391 transmits data from the requested address as long as the master continues to acknowledge each byte.

The read operation is ended when the master does not acknowledge a transmitted byte. The transaction is complete when the master produces a stop condition.

If the master attempts to read from an address that is outside of the IQS391's memory map, the IQS391 will return 0xEE.




Figure 12.1: I<sup>2</sup>C Read Example

## 12.4 Write

A typical write operation is shown in Figure 12.2.

The master initiates communication by sending a start condition followed by the device address with the read-not-write bit low. The IQS391 responds with an acknowledgement, after which the master must transmit two bytes defining the starting register address to write to.

The master then transmits a series of bytes that are written to the IQS391. The IQS391 will acknowledge each byte. The write operation is ended when the master produces a stop condition.

Any data written to an address that is not in the IQS391's memory map will be discarded.




Figure 12.2: I<sup>2</sup>C Write Example

## 12.5 Clock Stretching

The IQS391 is not compatible with an I<sup>3</sup>C bus due to clock stretching. As per the *Fast Mode Plus* I<sup>2</sup>C specification, the IQS391 implements byte-level clock stretching on the I<sup>2</sup>C bus.

The maximum clock stretching will occur when addressing the IQS391 while it is in the ULP power state. The IQS391 will clock stretch for up to 450 μs when the master outputs the slave address on the bus.

When the device is not in the ULP power state, clock stretching is expected to last for 20 – 80 μs. Clock stretching can occur on any byte.

## 13 PWM Mode

The information in this section applies to PWM mode only.

In PWM mode, an external source must provide the LRA drive signals to the IQS391. The external source is responsible for modulating the duty cycle of the drive signal to match the resonant frequency of the driven motor. Autoresonance is not supported in PWM mode.

See Section 5 for information on how to select PWM mode.

### 13.1 Input Signals

The signal applied to the PWM\_IN pin is passed directly to the internal PWM drive engine. The H-bridge is driven by the outputs of the PWM drive engine. The duty cycle mapping is one-to-one. For example, a 100% duty cycle on the input side will result in a 100% duty cycle on the motor drive pins.

The motor drive direction is chosen by pulling the DIR pin high or low. A low signal drives the motor in the forward direction, and a high signal drives the motor in the reverse direction.

Figure 13.1 illustrates a typical set of drive signals.  $T_h$  shows the width of a single half cycle. For a 200 Hz motor,  $T_h = \frac{1}{2 \times 200} = 2.5$  ms. Various effects can be created by modulating the duty cycle of the PWM input signal in different ways. The strength of vibration depends on the maximum duty cycle of the PWM input.

The IQS391 expects the frequency of the input PWM signal to be 20 kHz.




Figure 13.1: Input Signals for PWM Mode

### 13.2 Ultra Low Power

The IQS391 enters an ultra-low power sleep state when it detects that the signal applied to the PWM\_IN pin has been low for longer than one 20 kHz PWM period.

The AUTO\_WAKE pin implements automatic wake-up from the ultra-low power state. It must be directly connected to the PWM\_IN pin with an external connection.

The automatic wake-up requires that the AUTO\_WAKE pin is held high for at least 100  $\mu$ s. Therefore, the external PWM input signal must begin by holding the AUTO\_WAKE pin high before modulating the duty cycle. This is marked on Figure 13.1 by  $T_s$ .



### 13.3 Over-temperature Protection

PWM mode features always-on over-temperature protection. If the temperature of the device exceeds 81 °C, the internal H-bridge will be automatically disabled. Once the temperature is below 81 °C, the H-bridge will be automatically enabled again.

Over-temperature protection ensures the IQS391 will not be permanently damaged under short-circuit conditions.



## 14 I²C Memory Map

Address	Length	Description	Default	Notes
<b>Read Only</b>		<b>Version Information</b>		
0x0000	2	Product Number	2949	
0x0001				
0x0002	2	Major Version	1	
0x0003				
0x0004	2	Minor Version	0	
0x0005				
<b>Read Write</b>		<b>Status and Control</b>		
0x1000	1	System Status		Read Only Appendix A.1
<b>Read Write</b>		<b>Status and Control</b>		
0x2000	1	System Settings	0x22	Appendix A.2
0x2001	1	Over-temperature Settings	0x1A	Appendix A.3
0x2002	1	System Control		Appendix A.4
0x2003	1	Haptic Control		Appendix A.5
<b>Read Write</b>		<b>Haptic Configuration</b>		
0x3000	2	H-Bridge Setup	0x353E	Appendix A.6
0x3001				
0x3002	2	PWM Frequency	20000	Range 15000-20000
0x3003				
0x3004	2	LRA Frequency	170	Range 100-300
0x3005				
0x3006	1	Autoresonance	0x50	Appendix A.7
0x3007	1	Waveform Definition	0xC0	Appendix A.8





## 15 Ordering Information

### 15.1 Ordering Code

IQS391      zzz      ppb

Table 15.1: Order Code Description

IC NAME		IQS391
CONFIGURATION	zzz = 001	I <sup>2</sup> C Address 1 = 0x54 I <sup>2</sup> C Address 2 = 0x40
PACKAGE TYPE	pp = QF	QFN-20 Package
BULK PACKAGING	b = R	QFN-20 Reel (2000 pcs/reel)

Example : IQS391-001QFR

### 15.2 Top Marking




Figure 15.1: IQS391-QFN20 Package Top Marking




Figure 15.2: QFN20 Generic Package Top Marking

## 16 Package Information

### 16.1 QFN20 Package Outline




Figure 16.1: QFN20 Package Outline



Table 16.1: QFN20 Package Dimensions [mm]

Dimension	Millimeters		
	Min	Typ	Max
A	0.50	0.55	0.60
A1	0.00	0.02	0.05
A3	0.152 REF		
b	0.15	0.20	0.25
D	3.00 BSC		
E	3.00 BSC		
D1	1.60	1.70	1.80
E1	1.60	1.70	1.80
e	0.40 BSC		
L	0.25	0.30	0.35

Table 16.2: QFN20 Package Tolerances [mm]

Tolerance	Millimeters
bbb	0.07
ddd	0.05

## 16.2 QFN20 Recommended Footprint




Figure 16.2: QFN20 Recommended Footprint

## 16.3 Tape and Reel Specifications




Figure 16.3: Tape and Reel Specification

Table 16.3: Tape and Reel Specifications

Package Type	Pins	Dimension [Millimeters]							Pin 1 Quadrant
		Reel Diameter	Reel Width	A0	B0	K0	P1	W	
QFN20	20	180	12.4	3.3	3.3	0.8	8	12	Q2



## A Memory Map Descriptions

### A.1 System Status (0x1000)

Bit	7	6	5	4	3	2	1	0
Description	Reserved		Over-temperature	Over-current	Current Power State	Recommend Recalibrate	Haptics Active	Reset

- > **Bit 5: Over-temperature**
  - 0: No fault condition
  - 1: An over-temperature condition has been detected
  - Bit cleared on read
- > **Bit 4: Over-current**
  - 0: No fault condition
  - 1: An over-current condition has been detected
  - Bit cleared on read
- > **Bit 3: Current Power State**
  - 0: The device is in the 'Fast Haptics' state
  - 1: The device is in the 'ULP' state
- > **Bit 2: Recommend Recalibrate**
  - See Section 11.3
- > **Bit 1: Haptics Active**
  - 0: The internal haptic engine is inactive
  - 1: The internal haptic engine is running
- > **Bit 0: Reset**
  - 0: Device is not in a reset condition
  - 1: Device is in a reset condition

### A.2 System Settings (0x2000)

Bit	7	6	5	4	3	2	1	0
Description	Reserved	Trigger Mode	Power Mode Timeout				Power Mode	

- > **Bit 6: Trigger Mode**
  - 0: Select 'Edge Trigger' mode
  - 1: Select 'Level Trigger' mode
- > **Bit 2-5: Power Mode Timeout**
  - Actual timeout in milliseconds = (512 × bitfield value)
- > **Bit 0-1: Power Mode**
  - 0: Select 'Fast Haptics'
  - 1: Select 'ULP'
  - 2: Select 'Automatic'



### A.3 Over-temperature Settings (0x2001)

Bit	7	6	5	4	3	2	1	0
Description	Reserved			Hysteresis	Over-temperature Threshold			

> Bit 4: **Hysteresis**

- 0: Disabled
- 1: Enabled

> Bit 0-3: **Over-temperature Threshold**

- 0: 29 °C
- 1: 36 °C
- 2: 44 °C
- 3: 49 °C
- 4: 56 °C
- 5: 64 °C
- 6: 71 °C
- 7: 81 °C
- 8: 89 °C
- 9: 99 °C
- 10: 106 °C
- 11: 116 °C
- 12: 126 °C
- 13: 136 °C
- 14: 146 °C
- 15: 159 °C

### A.4 System Control (0x2002)

Bit	7	6	5	4	3	2	1	0
Description	Reserved						Soft Reset	ACK Reset

> Bit 1: **Soft Reset**

- 0: No action
- 1: Soft reset the device

> Bit 0: **ACK Reset**

- 0: No action
- 1: Acknowledge a device reset
- Bit automatically cleared

### A.5 Haptic Control (0x2003)

Bit	7	6	5	4	3	2	1	0
Description	Reserved						Stop Haptics	Trigger Haptics

> Bit 1: **Stop Haptics**

- 0: No action
- 1: Immediately stop the haptics if it is active
- Bit automatically cleared

> Bit 0: **Trigger Haptics**

- 0: No action
- 1: Play the waveform
- Bit automatically cleared



## A.6 H-Bridge Setup (0x3000)

Bit	15	14	13	12	11	10	9	8
Description	Reserved		Ground Inactive	Strict Failure	External	Drive Strength		

Bit	7	6	5	4	3	2	1	0
Description	Reserved		Slew Rate		Slew Rate Control	Shoot-through Protection	Over-temperature Protection	Over-current Protection

- > **Bit 13: Ground Inactive**
  - 0: Float M+ and M- when motor is not being driven
  - 1: Pull M+ and M- to ground when motor is not being driven
- > **Bit 12: Strict Failure**
  - 0: Allow haptics at any time
  - 1: Use Strict Failure mode
- > **Bit 11: External**
  - 0: Use internal H-bridge
  - 1: Output drive signals for an external H-bridge on M+ and M-
- > **Bit 8-10: Drive Strength**
  - Range 0-5.
  - Typical: 5
- > **Bit 4-5: Slew Rate**
  - 0: 20 V/μs
  - 1: 40 V/μs
  - 2: 80 V/μs
  - 3: 160 V/μs
- > **Bit 3: Slew Rate Control**
  - 0: Disabled
  - 1: Enabled
- > **Bit 2: Shoot-through Protection**
  - 0: Disabled
  - 1: Enabled
- > **Bit 1: Over-temperature Protection**
  - 0: Disabled
  - 1: Enabled
- > **Bit 0: Over-current Protection**
  - 0: Disabled
  - 1: Enabled

## A.7 Autoresonance (0x3006)

Bit	7	6	5	4	3	2	1	0
Description	Backoff							Enable Autoresonance

- > **Bit 1-7: Backoff**
  - 0-100
- > **Bit 0: Enable Autoresonance**
  - 0: Disable Autoresonance
  - 1: Enable Autoresonance





## A.8 Waveform Description (0x3007)

Bit	7	6	5	4	3	2	1	0
Description	Amplitude		Half Cycles			Delay Braking	Enable Braking	Invert Start

- > **Bit 6-7: Amplitude**
  - 0: 25%
  - 1: 50%
  - 2: 75%
  - 3: 100%
- > **Bit 3-5: Half Cycles**
  - 0: 1 half cycles
  - 1: 2 half cycles
  - 2: 3 half cycles
  - 3: 4 half cycles
  - 4: 5 half cycles
  - 5: 6 half cycles
  - 6: 7 half cycles
  - 7: 8 half cycles
- > **Bit 2: Delay Braking**
  - 0: Brake immediately after driving waveform
  - 1: Delay one half cycle after driving waveform before braking
- > **Bit 1: Enable Braking**
  - 0: Disable Braking
  - 1: Enable Braking
- > **Bit 0: Invert Start**
  - 0: Start Waveform on M+
  - 1: Start Waveform on M-



## **B Usage Disclaimer**

Notwithstanding anything to the contrary in this document or in any other agreement, customer acknowledges that the products are provided without any warranty of non-infringement, and that if any license or right is required to be obtained from any third party, this responsibility shall rest solely with customer.



## C Revision History

Release	Date	Comments
v1.0	2025/04/11	Initial document released



## Contact Information


South Africa (Headquarters)		China
Physical Address	1 Bergsig Avenue	Room 501A, Block A
	Paarl	T-Share International Centre
	7646	Taoyuan Road, Nanshan District
	South Africa	Shenzhen, Guangdong, PRC
Tel	+27 21 863 0033	+86 755 8303 5294 ext 808
Email	info@azoteq.com	info@azoteq.com

USA		Taiwan
Physical Address	7000 North Mopac Expressway	Xintai 5th Road, Sec. 1
	Suite 200	No. 99, 9F-12C
	Austin	Xizhi District
	TX 78731	221001 New Taipei City
	USA	Taiwan
Tel	+1 512 538 1995	+886 932 219 444
Email	info@azoteq.com	info@azoteq.com

*Visit [www.azoteq.com](http://www.azoteq.com)  
for a list of distributors and worldwide representation.*

Patents as listed on [www.azoteq.com/patents-trademarks/](http://www.azoteq.com/patents-trademarks/) may relate to the device or usage of the device.

Azoteq®, Crystal Driver®, IQ Switch®, ProxSense®, ProxFusion®, LightSense™, SwipeSwitch™, Dycal™, TriggerMax™, WearMax™, and the  logo are trademarks of Azoteq.

The information in this Datasheet is believed to be accurate at the time of publication. Azoteq uses reasonable effort to maintain the information up-to-date and accurate, but does not warrant the accuracy, completeness or reliability of the information contained herein. All content and information are provided on an "as is" basis only, without any representations or warranties, express or implied, of any kind, including representations about the suitability of these products or information for any purpose. Azoteq disclaims all warranties and conditions with regard to these products and information, including but not limited to all implied warranties and conditions of merchantability, fitness for a particular purpose, title and non-infringement of any third party intellectual property rights. Azoteq assumes no liability for any damages or injury arising from any use of the information or the product or caused by, without limitation, failure of performance, error, omission, interruption, defect, delay in operation or transmission, even if Azoteq has been advised of the possibility of such damages. The applications mentioned herein are used solely for the purpose of illustration and Azoteq makes no warranty or representation that such applications will be suitable without further modification, nor recommends the use of its products for application that may present a risk to human life due to malfunction or otherwise. Azoteq products are not authorized for use as critical components in life support devices or systems. No licenses to patents are granted, implicitly, express or implied, by estoppel or otherwise, under any intellectual property rights. In the event that any of the abovementioned limitations or exclusions does not apply, it is agreed that Azoteq's total liability for all losses, damages and causes of action (in contract, tort (including without limitation, negligence) or otherwise) will not exceed the amount already paid by the customer for the products. Azoteq reserves the right to alter its products, to make corrections, deletions, modifications, enhancements, improvements and other changes to the content and information, its products, programs and services at any time or to move or discontinue any contents, products, programs or services without prior notification. For the most up-to-date information and binding Terms and Conditions please refer to [www.azoteq.com](http://www.azoteq.com).